

12 Toledo City

NORTHWEST DISTRICT OFFICE  
1035 Devlac Grove Dr.  
Bowling Green, Ohio 43402

US EPA RECORDS CENTER REGION 5



422266

December 26, 1974

Re: City of Toledo  
Solid waste



John J. Gilligan  
Governor  
Dr. Ira L. Whitman  
Director

Richard L. Wenzel, M.D.  
Health Commissioner  
Toledo City Health Dept.  
635 N. Erie St.  
Toledo, Ohio 43624

From Solid Waste File

Dear Dr. Wenzel:

On December 19, 1974, an evaluation of the Toledo City solid waste program was made by Loren Shaffer, OEPA, along with Mr. Gerald Rotterdam, Sanitarian, representing the City of Toledo. Our observations were as follows:

Durra Landfill - This site has a life of approximately six months remaining. The present operation is being conducted in a trench and the day to day operation was good in spite of inclement weather. Roadways were well maintained. Compacting and covering was good and earth for covering had been stockpiled. The main emphasis should be on providing final cover and the seeding of the completed area.


Several demolition sites were inspected. The main problem areas seem to be around the old Manhattan Dump, Sam Tuber's site, and the old Treasure Island dump. The leachate draining into the stream leading through these areas is very bad. There is also a considerable amount of leachate coming out of the old Stickney Ave. dump and draining into the Ottawa River. We are willing to work with your department and the T.P.C.A. to bring about a satisfactory remedy to the problem. Our plan for the present time is to issue an NPDES Permit to the responsible individuals, where by they will be required to comply with a schedule to address an of correct these problems.

Richard L. Wenzel, M.D.  
December 26, 1974  
Page 2

The solid waste program of Toledo City was found to be in good compliance, and I am recommending to the Director of the Ohio EPA that the solid waste program of Toledo City be approved for 1974.

It has been a pleasure working with your department, and if I can assist you or if you have any questions, feel free to call.

Sincerely yours,



Loren W. Shaffer  
District Sanitarian

LWS/mm

cc: T.P.C.A.  
Attn: Mr. Paul Findlay